

## EAST Search History

## EAST Search History (Prior Art)

| Ref # | Hits | Search Query   | DBs   | Default Operator | Plurals | Time Stamp          |
|-------|------|--|---|------------------|---------|---------------------|
| S16   | 348  | (702/120).CCL.S.   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2008/06/09<br>11:29 |
| S17   | 485  | (324/693).CCL.S.   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2008/06/09<br>11:32 |
| S18   | 370  | (182/18).CCL.S.  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2008/06/09<br>11:33 |
| S20   | 4    | (\$16 or \$17 or \$18) and (Tensile or support or elevator) same (steel or cord or belt or lift\$3) and temperature with (sens\$3 or detect\$3 or measur\$5 or obtain\$3 or receiv\$3) same (measur\$5 or obtain\$3 or receiv\$3 or detect\$3 or sens\$3 or determin\$3 or estimat\$3) near4 (resistivity or resist\$4 or electrical)              | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2008/06/09<br>12:05 |
| S21   | 10   | elevator same monitor\$3 and temperature near4 (sens\$3 or detect\$3 or measur\$5 or obtain\$3 or receiv\$3) same (measur\$5 or obtain\$3 or receiv\$3 or detect\$3 or sens\$3 or determin\$3 or estimat\$3) near4 (resistivity or resist\$4 or electrical) and (difference or compar\$3 or evaluat\$3 or judg\$3 or judgment) near5 (threshold or | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2008/06/09<br>12:08 |

|     |     |   |   |    |     |                     |
|-----|-----|---|---|----|-----|---------------------|
|     |     | predetermined or limit or warn\$3 or alert or alarm \$3)  |   |    |     |                     |
| S22 | 31  | elevator and temperature near4 (sens\$3 or detect\$3 or measur\$5 or obtain\$3 or receiv\$3) same (measur\$5 or obtain\$3 or receiv\$3 or detect\$3 or sens\$3 or determin\$3 or estimat\$3) near4 (resistivity or resist\$4 or electrical) and (difference or compar\$3 or evaluat\$3 or judg\$3 or judgment) near5 (threshold or predetermined or limit or warn\$3 or alert or alarm \$3) | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/06/09<br>12:29 |
| S24 | 7   | (Tensile or support or elevator) same (steel or cord or belt) near5 lift\$3 and temperature with (sens\$3 or detect\$3 or measur\$5 or obtain\$3 or receiv\$3) same (measur\$5 or obtain\$3 or receiv\$3 or detect\$3 or sens\$3 or determin\$3 or estimat\$3) near4 (resistivity or resist\$4 or electrical)   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/06/09<br>13:09 |
| S25 | 144 | (elevator) same (steel or cord or belt or lift\$3) and temperature with (sens\$3 or detect\$3 or measur\$5 or obtain\$3 or receiv\$3) same (measur\$5 or obtain\$3 or receiv\$3 or detect\$3 or sens\$3 or determin\$3 or estimat\$3) near4 (resistivity or resist\$4 or electrical)  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/06/09<br>13:18 |
| S27 | 18  | ((("7,237,656") or ("6,123,176") or ("6,405,833") or ("6,752,029") or ("6,662,660") or ("5,804,964") or ("6,247,359") or ("6,133,731") or ("5,821,430"))).PN.   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2008/06/09<br>14:30 |

|     |     |   |   |    |     |                     |
|-----|-----|---|---|----|-----|---------------------|
| S28 | 14  | ((("6,405,833") or ("6,752,029") or ("6,662,660") or ("5,804,964") or ("6,247,359") or ("6,133,731") or ("5,821,430"))).PN. | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB       | OR | OFF | 2008/06/09<br>14:37 |
| S29 | 13  | elevator and hoistway same temperature near4 (sens\$3 or detect\$3 or measur\$5 or obtain\$3 or receiv\$3)                  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB       | OR | ON  | 2008/06/09<br>14:43 |
| S30 | 2   | ("7123030").PN.   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB       | OR | OFF | 2008/06/09<br>15:00 |
| S31 | 2   | ("7182174").PN.   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB       | OR | OFF | 2008/06/09<br>15:00 |
| S32 | 2   | ("20020194935").PN.   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2008/06/09<br>15:01 |
| S33 | 2   | ("20040046540").PN.   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2008/06/09<br>15:01 |
| S34 | 362 | (702/120).OCLS.   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB       | OR | OFF | 2008/11/14<br>18:44 |
| S35 | 502 | (324/693).OCLS.   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB       | OR | OFF | 2008/11/14<br>19:57 |

|     |     |   |   |    |     |                     |
|-----|-----|---|---|----|-----|---------------------|
| S36 | 373 | (182/18).COLS.  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2008/11/14<br>20:33 |
| S37 | 4   | ((("7123030") or<br>("7182174")).PNL  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2008/11/16<br>16:00 |
| S38 | 384 | elevator and<br>temperature near4 (sens<br>\$3 or detect\$3 or measur<br>\$5 or obtain\$3 or receiv<br>\$3) same (measur\$5 or<br>obtain\$3 or receiv\$3 or<br>detect\$3 or sens\$3 or<br>determin\$3 or estimat<br>\$3) near4 (resistivity or<br>resist\$4 or electrical)  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/11/17<br>10:13 |
| S39 | 4   | (lift\$3 near8 (vehicle or<br>machine or device) with<br>(floors building)) and<br>temperature near4 (sens<br>\$3 or detect\$3 or measur<br>\$5 or obtain\$3 or receiv<br>\$3) same (measur\$5 or<br>obtain\$3 or receiv\$3 or<br>detect\$3 or sens\$3 or<br>determin\$3 or estimat<br>\$3) near4 (resistivity or<br>resist\$4 or electrical) | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/11/17<br>12:39 |
| S40 | 17  | (lift\$3 near8 (vehicle or<br>machine or device) with<br>(floors building)) and<br>temperature same<br>(measur\$5 or obtain\$3<br>or receiv\$3 or detect\$3<br>or sens\$3 or determin\$3<br>or estimat\$3) with<br>(resistivity or resist\$4 or<br>electrical)  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/11/17<br>12:41 |
| S41 | 378 | (702/120).COLS.   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/04<br>14:17 |

|     |     |  |   |    |     |                     |
|-----|-----|--|---|----|-----|---------------------|
| S42 | 2   | (elevator hoist) same (wear or fail\$3 or defect\$3 or condition or malfunction or break\$3 or fault\$1 or health or flaw or deficiency) and temperature near4 (floors building hoistway) same (measur\$5 or obtain\$3 or receiv\$3 or detect\$3 or sens\$3 or determin\$3 or estimat\$3 or monitor\$3 or observ\$3) near4 (resistivity or resist\$4 or electric\$3) same temperature with (reference or nominal or ideal\$5 or predetermined or predefined or simulated or model\$4 or threshold or criteria or limit or desired) | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/03/04<br>16:32 |
| S43 | 195 | (elevator hoist) and temperature same (measur\$5 or obtain\$3 or receiv\$3 or detect\$3 or sens\$3 or determin\$3 or estimat\$3 or monitor\$3 or observ\$3) near4 (resistivity or resist\$4 or electric\$3) same temperature with (reference or nominal or ideal\$5 or predetermined or predefined or simulated or model\$4 or threshold or criteria or limit or desired)  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/03/04<br>16:51 |
| S44 | 1   | ("5508511").PN.  | USPAT   | OR | OFF | 2009/03/04<br>17:52 |
| S45 | 798 | (elevator hoist\$3) same (wear or fail\$3 or defect\$3 or condition or malfunction or break\$3 or fault\$1 or health or flaw or deficiency or monitor\$3) and (resistivity or resist\$4 or electric\$3) same temperature with (ambient or environment\$2 or hoistway or air or building)   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/03/04<br>18:04 |

|     |     |   |   |    |     |                     |
|-----|-----|---|---|----|-----|---------------------|
| S46 | 305 | (elevator hoist\$3) same (wear or fail\$3 or defect \$3 or condition or malfunction or break\$3 or fault\$1 or health or flaw or deficiency or monitor\$3) and (resistivity or resist\$4 or electric\$3) with (measur \$5 or obtain\$3 or receiv \$3 or detect\$3 or sens\$3 or determin\$3 or estimat \$3 or monitor\$3 or observ\$3 or acquir\$3 or collect\$3 or output\$4 or produc\$3 or generat\$3) with temperature and temperature with (ambient or environment \$2 or hoistway or air or building) | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB       | OR | ON  | 2009/03/04<br>18:08 |
| S47 | 9   | ((("7,237,656") or ("6,123,176") or ("6,405,833") or ("6,752,029") or ("6,662,660") or ("5,804,964") or ("6,247,359") or ("6,133,731") or ("5,821,430"))).PN.   | USPAT   | OR | OFF | 2009/03/04<br>18:26 |
| S48 | 5   | "20020194935" or "20040046540"  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/04<br>18:27 |
| S49 | 305 | (elevator hoist\$3) same (degrat\$3 or wear or fail \$3 or defect\$3 or condition or malfunction or break\$3 or fault\$1 or health or flaw or deficiency or monitor\$3) and (resistivity or resist \$4 or electric\$3) with (measur\$5 or obtain\$3 or receiv\$3 or detect\$3 or sens\$3 or determin\$3 or estimat\$3 or monitor \$3 or observ\$3 or acquir \$3 or collect\$3 or output \$4 or produc\$3 or generat\$3) with temperature and  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB       | OR | ON  | 2009/03/04<br>18:32 |

|     |     |   |   |    |     |                     |
|-----|-----|---|---|----|-----|---------------------|
|     |     | temperature with<br>(ambient or environment<br>\$2 or hoistway or air or<br>building)   |   |    |     |                     |
| S50 | 333 | (elevator hoist\$3) same<br>(degrat\$3 or wear or fail<br>\$3 or defect\$3 or<br>condition or malfunction<br>or break\$3 or fault\$1 or<br>health or flaw or<br>deficiency or monitor\$3)<br>and (resistivity or resist<br>\$4 or electric\$3) with<br>(measur\$5 or obtain\$3<br>or receiv\$3 or detect\$3<br>or sens\$3 or determin\$3<br>or estimat\$3 or monitor<br>\$3 or observ\$3 or acquir<br>\$3 or collect\$3 or output<br>\$4 or produc\$3 or<br>generat\$3) same<br>temperature with<br>(ambient or environment<br>\$2 or hoistway or air or<br>building) | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/03/04<br>20:37 |
| S51 | 26  | ("4096437"   "4270088"<br>"4427940"   "4439731"<br>"4538107"   "4659991"<br>"4803888"   "4827215"<br>"4864233"   "4929897"<br>"5036277"   "5198765"<br>"5321356"   "5402066"<br>"5414353"   "5426362"<br>"5453291"   "5565771"<br>"5570017"   "5751144"<br>"5760590"   "5804964"<br>"5834942"   "5992574"<br>"6073728"  <br>"6133731").PN.  | US-PGPUB;<br>USPAT; USOCR   | OR | OFF | 2009/03/04<br>20:57 |
| S52 | 26  | ("4096437"   "4270088"<br>"4427940"   "4439731"<br>"4538107"   "4659991"<br>"4803888"   "4827215"<br>"4864233"   "4929897"<br>"5036277"   "5198765"<br>"5321356"   "5402066"<br>"5414353"   "5426362"<br>"5453291"   "5565771"<br>"5570017"   "5751144"<br>"5760590"   "5804964"<br>"5834942"   "5992574"<br>"6073728"  <br>"6133731").PN.  | US-PGPUB;<br>USPAT; USOCR   | OR | OFF | 2009/03/04<br>20:57 |

|     |     |  |   |    |     |                     |
|-----|-----|--|---|----|-----|---------------------|
| S53 | 26  | ("4096437"   "4270088"<br>"4427940"   "4439731"<br>"4538107"   "4659991"<br>"4803888"   "4827215"<br>"4864233"   "4929897"<br>"5036277"   "5198765"<br>"5321356"   "5402066"<br>"5414353"   "5426362"<br>"5453291"   "5565771"<br>"5570017"   "5751144"<br>"5760590"   "5804964"<br>"5834942"   "5992574"<br>"6073728"  <br>"6133731").PN. | US-PGPUB;<br>USPAT; USOCR   | OR | OFF | 2009/03/04<br>20:57 |
| S54 | 2   | ("5570017").PN.  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/05<br>11:53 |
| S55 | 424 | (324/232).CCL.S.   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/05<br>11:54 |
| S56 | 525 | (324/693).CCL.S.   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/05<br>12:13 |
| S57 | 376 | (182/18).CCL.S.  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/05<br>12:13 |
| S58 | 412 | (702/120).CCL.S.   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB       | OR | OFF | 2009/10/27<br>17:54 |
| S59 | 982 | (324/693,232).CCL.S.   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB       | OR | OFF | 2009/10/27<br>18:18 |



|     |     |  |   |    |     |                     |
|-----|-----|--|---|----|-----|---------------------|
| S60 | 379 | (182/18).COLS.   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/10/27<br>18:18 |
| S61 | 1   | (S58 or S59 or S60) and<br>(elevator hoist) and<br>temperature same<br>(measur\$5 or obtain\$3<br>or receiv\$3 or detect\$3<br>or sens\$3 or determin\$3<br>or estimat\$3 or monitor<br>\$3 or observ\$3) near8<br>(resistivity or resist\$4 or<br>electric\$3) and<br>(temperature thermal)<br>with (reference or<br>nominal or ideal\$5 or<br>predetermined or<br>predefined or simulated<br>or model\$4 or threshold<br>or criteria or limit or<br>desired)         | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/10/27<br>18:20 |
| S62 | 11  | ("3922789").URPN.  | USPAT   | OR | ON  | 2009/10/27<br>18:21 |
| S63 | 1   | (S58 or S59 or S60) and<br>(elevator hoist hoistway)<br>and temperature same<br>(measur\$5 or obtain\$3<br>or receiv\$3 or detect\$3<br>or sens\$3 or determin\$3<br>or estimat\$3 or monitor<br>\$3 or observ\$3) same<br>(resistivity or resist\$4 or<br>electric\$3) and<br>(temperature thermal)<br>same (reference or<br>nominal or ideal\$5 or<br>predetermined or<br>predefined or simulated<br>or model\$4 or threshold<br>or criteria or limit or<br>desired) | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/10/27<br>18:23 |

|     |      |  |   |    |    |                     |
|-----|------|--|---|----|----|---------------------|
| S64 | 211  | (elevator hoist hoistway) same temperature with (measur\$5 or obtain\$3 or receiv\$3 or detect\$3 or sens\$3 or determin\$3 or estimat\$3 or monitor\$3 or observ\$3) same (resistivity or resist\$4 or electric\$3) and (temperature thermal) with (reference or nominal or ideal\$5 or predetermined or predefined or simulated or model\$4 or threshold or criteria or limit or desired)    | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/10/27<br>18:25 |
| S65 | 1    | (virgin near4 support\$3) same temperature with (measur\$5 or obtain\$3 or receiv\$3 or detect\$3 or sens\$3 or determin\$3 or estimat\$3 or monitor\$3 or observ\$3) same (resistivity or resist\$4 or electric\$3) and (temperature thermal) with (reference or nominal or ideal\$5 or predetermined or predefined or simulated or model\$4 or threshold or criteria or limit or desired)    | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/10/27<br>18:27 |
| S66 | 1136 | (support\$3 near8 structure) same temperature with (measur\$5 or obtain\$3 or receiv\$3 or detect\$3 or sens\$3 or determin\$3 or estimat\$3 or monitor\$3 or observ\$3) same (resistivity or resist\$4 or electric\$3) and (temperature thermal) with (reference or nominal or ideal\$5 or predetermined or predefined or simulated or model\$4 or threshold or criteria or limit or desired) | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/10/27<br>18:29 |

|     |     |   |   |    |    |                     |
|-----|-----|---|---|----|----|---------------------|
| S67 | 0   | (S58 or S59 or S60) and S66   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/10/27<br>18:29 |
| S68 | 69  | ("702"/\$.ccls. "324"/\$.ccls. "379"/\$.ccls.) and S66  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/10/27<br>18:30 |
| S69 | 343 | (elevator hoist\$3) same (degrat\$3 or wear or fail\$3 or defect\$3 or condition or malfunction or break\$3 or fault\$1 or health or flaw or deficiency or monitor\$3) and (resistivity or resist\$4 or electric\$3) with (measur\$5 or obtain\$3 or receiv\$3 or detect\$3 or sens\$3 or determin\$3 or estimat\$3 or monitor\$3 or observ\$3 or acquir\$3 or collect\$3 or output\$4 or produc\$3 or generat\$3) same temperature with (ambient or environment\$2 or hoistway or air or building) | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/10/27<br>18:31 |
| S70 | 194 | ("702"/\$.ccls. "324"/\$.ccls. "379"/\$.ccls.) and ((measur\$5 or obtain\$3 or receiv\$3 or detect\$3 or sens\$3 or determin\$3 or estimat\$3 or monitor\$3 or observ\$3) same (resistivity or resist\$4 or electric\$3) same (temperature thermal) with (reference or nominal or ideal\$5 or predetermined or predefined or simulated or model\$4 or threshold or criteria or limit or desired)).clm.  | US-PGPUB  | OR | ON | 2009/10/27<br>18:36 |

|     |    |   |   |     |    |                  |
|-----|----|---|---|-----|----|------------------|
| S71 | 20 | ((support\$3 near8 structure) same temperature with (measur\$5 or obtain\$3 or receiv\$3 or detect\$3 or sens\$3 or determin\$3 or estimat\$3 or monitor\$3 or observ\$3) same (resistivity or resist\$4 or electric\$3) and (temperature thermal) with (reference or nominal or ideal\$5 or predetermined or predefined or simulated or model\$4 or threshold or criteria or limit or desired)).clm. | US-PGPUB  | OR  | ON | 2009/10/27 20:43 |
| S72 | 9  | ((measur\$5 sens\$3 detect\$3) with (electrical characteristic) with (support structure hoistway elevator) with temperature same (reference threshold criteria limit maximum)).clm.   | US-PGPUB  | OR  | ON | 2009/10/27 20:53 |
| S73 | 14 | (Tensile Support Strength Monitoring).ab.   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2009/10/27 20:55 |
| S74 | 48 | (STUCKY with PAUL).in.  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2009/10/27 20:57 |
| S75 | 70 | (VERONESI with WILLIAM).in.   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2009/10/27 20:59 |

**EAST Search History (Interference)**

&lt; This search history is empty &gt;

**10/ 28/ 2009 10:23:09 PM****C:\ Documents and Settings\ xsun\ My Documents\ EAST\ Workspaces\ 10598220.wsp**